

Procedure that requires prior approval

Thames Valley Priorities Committee Commissioning Policy Statement

Policy No. TVPC 49 **Patients with osteoarthritis (OA); primary hip and knee replacement**

Recommendation made by the Priorities Committee: September 2016 / Updated November 2018¹ and January 2019²

Date of issue: **March 2019**

The majority of patients with osteoarthritis (OA) of the hip or knee can initially be managed adequately in primary and intermediate care by following the NICE Clinical Guideline 177 (2014) and Quality Standard 87 (2015) for care and management of OA. Summary guidance notes overleaf.

Adults aged 45 or over can be diagnosed with OA clinically, without investigations if they have activity-related joint pain and any morning joint stiffness lasts no longer than 30 minutes. Primary or intermediate care x-ray is not necessary as part of routine investigations.

Referral for specialist assessment can be considered for patients who meet **all** the following criteria 1 – 6:

1. Patient experiences joint symptoms (pain, stiffness and reduced function) that have a **substantial** impact on their quality of life defined as interfering with their activities of daily living or their ability to sleep.
2. Patient has been offered at least the core (non-surgical) treatment options recommended by NICE CG177;
 - Access to information (accurate verbal and written information to enhance understanding of the condition and its management, and to counter misconceptions, such as that it inevitably progresses and cannot be treated).
 - Activity and exercise irrespective of age, comorbidity, pain severity or disability. Exercise should include: local muscle strengthening and general aerobic fitness.
 - Patients who are overweight BMI > 25kg/m² are offered support and interventions to lose weight and this has been documented.
 - Patients with BMI ≥ 35kg/m² must have completed a recognised weight management programme.

¹ UKR included.

² Reference to patient decision aid has been removed; no other changes have been made.

3. Joint symptoms are refractory to non-surgical treatments listed overleaf including where appropriate and not contra-indicated; analgesia, steroid injections, local heat and cold therapy.
4. Patients have a right to be fully informed about this procedure. As part of this process, clinicians should engage the patients (or their carers) in shared decision making about alternative management and the risks and benefits of surgery.
5. Patient has confirmed they wish to have surgery.
6. Any underlying medical conditions have been investigated and the patient's condition has been optimised.

Further advice and support as appropriate should be offered including:

- Agree individualised self-management strategies with the person with osteoarthritis.
- Manipulation and stretching should be considered as an adjunct to core treatments, particularly for osteoarthritis of the hip.
- Advice on appropriate footwear (including shock-absorbing properties) as part of core treatments for people with lower limb osteoarthritis.
- Assistive devices (for example walking sticks) should be considered as adjuncts to core treatments for people with osteoarthritis who have specific problems with activities of daily living.
- Local heat and cold therapy.
- Analgesia: paracetamol, non-steroidal anti-inflammatory medication (topical or oral with proton pump inhibitor [PPI]), oral opioid.
- Intra-articular corticosteroid injections should be offered as an adjunct to core treatments for the relief of moderate to severe pain in people with both knee and hip osteoarthritis, according to local provision.
- Patients who smoke should be advised to attempt to stop smoking at least 4 weeks before surgery to reduce the risk of surgical and post-surgery complications.

Unicompartmental Knee Replacement (UKR)

UKR is an option for clinically appropriate patients who meet the criteria above. UKR is a complex procedure and therefore it is recommended that contractual minimum annual volumes for UKR are agreed with providers, in collaboration with the orthopaedic specialist societies, as discussed in the GIRFT (2015) National Review of Adult Elective Orthopaedic Services in England report.

NOTES:

- Potentially exceptional circumstances may be considered by a patient's CCG where there is evidence of significant health status impairment (e.g. inability to perform activities of daily living) and there is evidence that the intervention sought would improve the individual's health status.
- This policy will be reviewed in the light of new evidence or new national guidance, eg, from NICE.
- Thames Valley clinical policies can be viewed at <http://www.fundingrequests.ccsu.nhs.uk/>

Audit codes

Total Hip Replacement

Primary OPCS:

- W37.1: Primary total prosthetic replacement of hip joint using cement
- W37.9: Unspecified total prosthetic replacement of hip joint using cement
- W38.1: Primary total prosthetic replacement of hip joint not using cement
- W38.9: Unspecified total prosthetic replacement of hip joint not using cement
- W39.1: Primary total prosthetic replacement of hip joint NEC
- W39.9: Unspecified other total prosthetic replacement of hip joint
- W93.1: Primary hybrid prosthetic replacement of hip joint using cemented acetabular component
- W93.9: Unspecified hybrid prosthetic replacement of hip joint using cemented acetabular component
- W94.1: Primary hybrid prosthetic replacement of hip joint using cemented femoral component
- W94.9: Unspecified hybrid prosthetic replacement of hip joint using cemented femoral component
- W95.1: Primary hybrid prosthetic replacement of hip joint using cement NEC
- W95.9: Unspecified hybrid prosthetic replacement of hip joint using cement

Secondary OPCS:

Bilateral:

- Z94.1: Bilateral operation or
- Z94.2: Right sided operation and Z94.3: Left sided operation

Unilateral:

- Z94.2: Right sided operation or
- Z94.3: Left sided operation or
- Z94.4: Unilateral operation

Total Knee Replacement

Primary OPCS:

- W40.1: Primary total prosthetic replacement of knee joint using cement
- W40.9: Unspecified total prosthetic replacement of knee joint using cement
- W41.1: Primary total prosthetic replacement of knee joint not using cement
- W41.9: Unspecified total prosthetic replacement of knee joint not using cement
- W42.1: Primary total prosthetic replacement of knee joint NEC
- W42.9: Unspecified other total prosthetic replacement of knee joint
- O18.1: Primary hybrid prosthetic replacement of knee joint using cement
- O18.9: Unspecified hybrid prosthetic replacement of knee joint using cement

Unicompartmental Knee Replacement

- W58.1: Primary resurfacing arthroplasty of joint